

Are you looking for a chronic hepatitis C (hep C) treatment?

MAVYRET

IT'S YOUR
TURN

DON'T
LOOK
BACK

Jeanne, a MAVYRET patient
Wife, grandmother, and zookeeper

Learn how MAVYRET can treat common
types of the hep C virus (GT 1-6)

USE

MAVYRET™ (glecaprevir and pibrentasvir) tablets are a prescription medicine used to treat adults with chronic (lasting a long time) hepatitis C virus (hep C) genotypes 1, 2, 3, 4, 5, or 6 infection without cirrhosis or with compensated cirrhosis.

SAFETY CONSIDERATIONS

- **Hepatitis B virus reactivation:** Before starting treatment with MAVYRET, your doctor will do blood tests to check for hepatitis B virus infection. If you have ever had hepatitis B virus infection, the hepatitis B virus could become active again during or after treatment of hepatitis C virus with MAVYRET. Hepatitis B virus becoming active again (called reactivation) may cause serious liver problems including liver failure and death. Your doctor will monitor you if you are at risk for hepatitis B virus reactivation during treatment and after you stop taking MAVYRET.
- Do not take MAVYRET if you have certain liver problems, or if you are taking the medicines atazanavir (EVOTAZ®, REYATAZ®) or rifampin (RIFADIN®, RIFAMATE®, RIFATER®, RIMACTANE®).
- There are some medicines that you should not take with MAVYRET. **Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. MAVYRET and other medicines may affect each other. This can cause you to have too much or not enough MAVYRET or other medicines in your body. This may affect the way MAVYRET or your other medicines work, or may cause side effects. **Do not start a new medicine without telling your doctor.**

Please see Important Safety Information on the last page.

Please see full [Prescribing Information](#), including [Patient Information](#), and discuss with your doctor.

MAVYRET 
glecaprevir/pibrentasvir
100 mg/40 mg tablets

MAVYRET CURED

98%

OF PEOPLE IN CLINICAL TRIALS

In clinical trials, MAVYRET was taken once daily with food. Cure* rates varied from 92% to 100% based on the subtype of hep C and previous treatment experience

Not an actual patient

*Cure means the hep C virus is not detectable in the blood 3 months after treatment ends. Individual results may vary.



What is MAVYRET?

MAVYRET is a prescription medicine used to treat adults with chronic (lasting a long time) hep C genotypes (GT) 1–6 infection without cirrhosis or with compensated cirrhosis. You should not take MAVYRET if you have certain liver problems or are taking the medicines atazanavir (EVOTAZ[®], REYATAZ[®]) or rifampin (RIFADIN[®], RIFAMATE[®], RIFATER[®], RIMACTANE[®]).

- The most common side effects of MAVYRET are headache and tiredness. These are not all the possible side effects of MAVYRET
- MAVYRET is 3 tablets taken **once a day** with food

Treatment with MAVYRET can take **8 weeks**



MAVYRET is the **only 8-week treatment** for patients with hep C GT 1–6 with no liver scarring (cirrhosis) and who have not been treated for hep C before.

You may take MAVYRET for 8, 12, or 16 weeks depending on your hep C genotype, previous hep C treatment experience, and if you have compensated cirrhosis. Your doctor will tell you how long you need to take MAVYRET.

**MAVYRET may be an option for you.
Talk to your doctor today.**

Please see Important Safety Information on the last page.

Please see full [Prescribing Information](#), including [Patient Information](#), and discuss with your doctor.

MAVYRET[™]
glecaprevir/pibrentasvir
100 mg/40 mg tablets

Welcome to a one-of-a-kind experience, with resources designed with you in mind

Once you receive a MAVYRET prescription, you will be able to take advantage of MAVYRET Patient Support. Doing so gives you access to a MAVYRET Nurse Ambassador.

The Nurse Ambassador offers a personal approach and is there to help you feel knowledgeable and confident.

- **Knowledgeable** about your hep C, your treatment with MAVYRET, and the insurance process, including the financial resources that may be available to you
- **Confident** to ask questions and make informed health decisions along with the support of your healthcare team

Nurse Ambassadors provide product support but do not provide medical advice and will direct patients to their healthcare professional for any medical advice or questions related to treatment decisions and plans.

To enroll in MAVYRET Patient Support, ask your healthcare provider. Or call 1-877-628-9738.

Talk to your doctor to find out how you can pay as little as \$5 a month.*

*Eligibility: Available to patients with commercial prescription insurance coverage for MAVYRET. Co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense or Veteran's Affairs programs) or where prohibited by law. If at any time a patient begins receiving prescription drug coverage under any such federal, state or government-funded healthcare program, patient will no longer be able to use the AbbVie HCV Co-pay Card and patient must call PSKW at 1-844-865-8725 to stop participation. Patients may not seek reimbursement for value received from the AbbVie HCV Co-pay Program from any third-party payers. Offer subject to change or discontinuance without notice. Restrictions, including monthly maximums, may apply. This is not health insurance.

Please see Important Safety Information on the last page.

Please see full [Prescribing Information](#), including [Patient Information](#), and discuss with your doctor.

Ask your doctor if MAVYRET is right for you



Use these questions to help guide your conversation:

- I've heard there are different genotypes of hep C. Will MAVYRET work for my genotype?
- I was treated for hep C with other medications but it wasn't successful. Will MAVYRET be an appropriate option for me?
- How long will I have to take MAVYRET?
- Are there side effects with MAVYRET?
- If I have other illnesses, is MAVYRET right for me?
- I saw that I can pay as little as \$5 a month for MAVYRET.* Am I eligible? If not, are there any other options to help me pay for MAVYRET?

Visit MAVYRET.com or call 1-877-628-9738 for more information on MAVYRET.

MAVYRET
glecaprevir/pibrentasvir
100 mg/40 mg tablets

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about MAVYRET?

Hepatitis B virus reactivation: Before starting treatment with MAVYRET, your doctor will do blood tests to check for hepatitis B virus infection. If you have ever had hepatitis B virus infection, the hepatitis B virus could become active again during or after treatment of hepatitis C virus with MAVYRET. Hepatitis B virus becoming active again (called reactivation) may cause serious liver problems including liver failure and death. Your doctor will monitor you if you are at risk for hepatitis B virus reactivation during treatment and after you stop taking MAVYRET.

Do not take MAVYRET if you:

- Have certain liver problems
- Are taking the medicines:
 - atazanavir (EVOTAZ[®], REYATAZ[®])
 - rifampin (RIFADIN[®], RIFAMATE[®], RIFATER[®], RIMACTANE[®])

What should I tell my doctor before taking MAVYRET?

- If you have ever had hepatitis B virus infection, liver problems other than hep C infection, or any other medical conditions.
- If you are pregnant or plan to become pregnant, or if you are breastfeeding or plan to breastfeed. It is not known if MAVYRET will harm your unborn baby or pass into your breast milk. Talk to your doctor about the best way to feed your baby if you take MAVYRET.
- **About all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. MAVYRET and other medicines may affect each other. This can cause you to have too much or not enough MAVYRET or other medicines in your body. This may affect the way MAVYRET or your other medicines work, or may cause side effects.
 - **Do not start taking a new medicine without telling your doctor.** Your doctor can tell you if it is safe to take MAVYRET with other medicines.

What are the common side effects of MAVYRET?

- The most common side effects of MAVYRET are headache and tiredness.

These are not all of the possible side effects of MAVYRET. Tell your doctor if you have any side effect that bothers you or that does not go away.

This is the most important information to know about MAVYRET. For more information, talk to your doctor or healthcare provider.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see full [Prescribing Information](#), including [Patient Information](#), and discuss with your doctor.

If you cannot afford your medication, contact www.pparx.org for assistance.

MAVYRET is a trademark of AbbVie Inc. All other brands listed are trademarks of their respective owners and are not trademarks of AbbVie Inc. The makers of these brands are not affiliated with and do not endorse AbbVie Inc. or its products.

abbvie

MAVYRET 
glecaprevir/pibrentasvir
100 mg/40 mg tablets